

- 1.15kV Insulation Voltage
- 4.0kV - 1 min Withstanding Voltage
- 50/60 Hz Frequency
- 40 Overcurrent Strength
- IEC 60044-1 Standard

KBJ Series

Ring Type Current Transformer



Ordering Information

KBJ – 15 , 3.0 **Class** , 2.5 **VA** , 50~75 / 5 **A**
 ① ② ③ ④ ⑤

| ① | ② | ③ | ④ | ⑤ | Weight(g) | Certifi- cates | Dimensions(mm) | | |
|------|---------------|---------|----------|--------------|--------------|-------------------|----------------|--|--|
| Type | Class | VA | Primary | Secondary | | | | | |
| 15 | 3.0 | 2.5 | 40 | 5 or 1 | 400 | CE | | | |
| | 1.0 | 5 | 50~75 | | | | | | |
| | | 5 | 100~150 | | | | | | |
| 23 | 3.0 | 2.5 | 40 | 5 or 1 | 320 | CE | | | |
| | | 5 | 50~75 | | | | | | |
| | 1.0 | 5 | 100~2000 | | | | | | |
| 15 | | 250~300 | | | | | | | |
| 25 | 1.0 | 5 | 5~300 | 5 or 1 | 320 | CE | | | |
| | | 15 | 250~300 | | | | | | |
| 03 | Meter type | 1.0 | 5 | 100~150 | 5 or 1 | CE | | | |
| | | | 15 | 200~350 | | | | | |
| | | | 40 | 400~600 | | | | | |
| | Relay Type | 5P10 | 2.5 | 250~450 | | | | | |
| 5 | 500~600 | | | | | | | | |
| 04 | Meter type | 1.0 | 5 | 100~150 | 5 or 1 | - | | | |
| | | | 15 | 200~350 | | | | | |
| | | | 40 | 400~2000 | | | | | |
| | Relay Type | 5P10 | 2.5 | 200~250 | | | | | |
| | | | 5 | 300~800 | | | | | |
| 15 | 1000~2000 | | | | | | | | |
| 06 | Meter type | 1.0 | 5 | 150~250 | 5 or 1 | - | | | |
| | | | 15 | 300~400 | | | | | |
| | | | 40 | 500~3000 | | | | | |
| | Relay Type | 5P10 | 5 | 400~1000 | | | | | |
| | | | 15 | 1200~3000 | | | | | |